


**LEVI
SUMMIT**

**VENUE INFO
2026**



Levi Summit Event Centre

Contact information

Sales

sales@kassiopeia.fi
+358 40 456 2059

Technical lead



Kimmo Hyötylä
kimmo.hyotyla@kassiopeia.fi
+358 45 7734 3785

Street address

Tunturitie 205, 99130 Levi Finland

Website

www.levisummit.fi




Levi Summit venues

1st Floor

1. Summit Nordic meeting rooms
2. Lobby & Exhibition area
3. Auditorium
4. Stage
5. Kitchen facilities
6. Freight elevator
7. Spiella Café & Restaurant

Summit Nordic meeting rooms	m²	Persons
1 room	35-55	10-30
2 rooms combined	90-110	30-68
3 rooms combined	145-165	60-96
4 rooms combined	200-220	90-128
5 rooms combined	255-275	110-160
6 rooms combined	310	120-180


Other facilities	m²	Persons
Lobby and Exhibitions	416	
Auditorium front	215	220
Auditorium back	255	216
Auditorium	470	436
Stage	138	
Artist green room / Backstage	40	max. 20
Freight elevator (max. 5000 kg)	15,5	
Spiella Café & Restaurant	140	60



Levi Summit venues

Downstairs

1. Samiland Exhibition area
2. Artist green room / Backstage with direct access to the stage level via stairs. Stair lift available for accessible access.



Technical information

1st Floor // Public & Meeting Areas

Video projectors and projection screens:

7 × SONY VPL-PHZ10 Laser, 5,000 lumens (Res: 1920×1200 (WUXGA))

6 × projection screens: 300 cm × 187.5 cm (W × H)

1 × projection screen (room 6): 244 cm × 152.5 cm (W × H)


Wireless Microphones:

8 × Sennheiser EW100 G3 series

- 4 × headset microphones (headband)
- 4 × handheld microphones, Sennheiser 865 (condenser c.)

General Equipment and Information:

- 14 x Genelec 8030 speakers
- One HDMI input per meeting room (client laptops)
- 2 x Jabra Speak2 75 speakerphones
- 55" Sony wall-mounted display by the entrance (client content)
- XLR inputs and outputs available for mic and program audio
- Bluetooth audio connectivity available
- 2 portable Sony displays on mobile stands available
- Whiteboards available
- Distributed ceiling-mounted speakers in multiple areas
- Dante-enabled audio network
- AV signal distribution via Kramer encoder/decoder system
- Centralised AV control via Q-SYS Core with touchscreen interface
- Wireless guest network available throughout the venue (shared)
- Wired production internet access available on request (shared)



Technical information

1st Floor // Auditorium

PA	
PA	12 x Nexo Geo M10 Line Array 1 x Nexo P15 Center 3 x Nexo P15 Delay L-C-R (above FOH)
Subs	4 x Nexo L18 Subs (flown)
Surround	8 x Nexo P8 Surround
Amps	3 x Nexo NXAMP4x2MK2 1 x Nexo NXAMP4x1MK2

Consoles & stage rack	
Lights	MagicQ MQ50 Light Console
Sound	Yamaha DM7C Digital Mixing Console
Stage rack	Yamaha TIO 1608-D2 Stage Rack

Microphones	
Handheld	4 x Shure QLXD2/SM58 + QLXD4E
Bodypack & headset	4 x Shure QLXD1/DPA 4066 + QLXD4E


Projection Auditorium	
Main projector	Barco SP4K-20C Main Video projector
Secondary projector	Vivitek DU8190Z Alternative Video projector (located above FOH)
Main screen	Height 6 m, Width 12 m (motorised)
Curtain	Motorised front curtain in front of the projection screen

Projection Auditorium B only	
Main projectors	2 x Vivitek DU8190Z Video projectors
Screens	2 x Height 2.5 m, Width 4.0 m

Misc	
Control system	Q-sys CORE-110F System Processor Q-sys TSC-116TW Touch Screen Controller Dedicated mounted iPad for system and audio feedback monitoring
HDMI encoders/decoders	5 x Kramer KDS-17EN HDMI inputs Kramer KDS-17DEC at Projectors

Technical information

1st Floor // Auditorium



Technical information

1st Floor // Auditorium stage & rigging

Flown stage trusses available for additional lighting and rigging.
Rigging load limits available on request.

Clear height under the stage front truss (stage front area): 6.5 m.


Freight elevator capacity: 5,000 kg.
Internal dimensions: 2.9 m (H) × 2.3 m (W) × 5.0 m (D).

House PA system with flown L/C/R arrays and subwoofers.

Technical advance & additional equipment


Final technical details are agreed during technical advance based on production requirements.

The venue setup can be supplemented with additional audio, video and lighting equipment. Client-provided production is welcome, and additional equipment can also be arranged via our technical partner.



Technical information

1st Floor // Auditorium B



The auditorium can be divided into two sections using movable partition walls.

Projection Auditorium B only


Main projectors	2 x Vivitek DU8190Z Video projectors
Screens	2 x Height 2.5 m, Width 4.0 m

Seating and floor configuration

Retractable seating allows Auditorium B to be configured as a flat floor space for flexible use (e.g. events and workshops).

Technical information

Downstairs & 1st Floor // Power supply



3-Phase power available

- 16 A
- 32 A
- 63 A

